

C182P KIT

Slump Cone, Plastic, complete set including:

- C181P** Slump Cone, "plastic". Weight: 750 g
 - C180-02** Tamping rod, galvanized steel, dia. 16 x 600 mm
 - C180-04** Base plate, galvanized steel
 - VI176-01** Stainless steel rule, 300 mm long
 - VI84** Aluminium scoop, 500 cc capacity
 - VI178-01** Fine wire brush
- Weight: 5 kg approx.

ACCESSORY:

- C180-03P** Cone Filling Funnel, "plastic". Weight: 250 g

Note: Each component of this kit can be ordered separately.



C182P KIT

C180-01

Slump Cone only, manufactured from "stainless steel", diameter 100/200mm, height 300mm, thickness 1,5 mm.
Weight: 2 kg approx.

C18I

Slump Cone only, galvanized steel, diameter 100/200mm, height 300mm, thickness 1,5 mm.
Weight: 2 kg approx.



C180-01

C18I

C18IP

VI185-03**Scoop, stainless steel**

STANDARDS: EN 12350-1 / UNI 9416
BS 1881:101

Used to sample fresh concrete
Capacity: 5 kg of concrete
Dimensions: dia. 125x250 mm



VI185-03

C185**Compacting factor apparatus**

STANDARDS: BS 1881:103
BS 5075

Designed to undertake a more precise and sensitive test procedure than the simple slump test.
The apparatus consists of two conical hoppers mounted on a cylinder. Each hopper has a hinged flange with quick release mechanism and everything is mounted on a rigid steel stand.
The compaction factor is the ratio between the weight of the partially compacted concrete and the weight of the fully compacted concrete. Supplied complete with tamper rod dia. mm 16x600 long.
Dimensions: mm 500x400x1510.
Weight: 55 kg



C185

C192 KIT**Flow table**

STANDARDS: EN 12350-5 / BS 1881:105 / DIN 1048 / UNI 8020

The apparatus comprises a galvanized steel conical mould, dia. 130/200 xh 200 mm, double steel flow table with galvanized top plane, guide device, wooden tamper.


Used to determine the workability of concrete. The top table has a square surface of 700x700 mm, hinged on one side.

Weight: 30 kg

SPARES:

- C192-01** Conical mould, galvanized steel made, dia. 130/200 xh 200 mm

- C192-02** Wooden tamper



C192 KIT